

NO.2118020805



中国认可
检验
INSPECTION
CNAS IB0071

货物运输条件鉴定书

Certification

for Safe Transport of Chemical Goods

危险品

样品名称： 锂电池 ZL1010-F 36V10Ah

Sample name: /


委托单位： 长兴天宏锂电科技有限公司

生产单位： 长兴天宏锂电科技有限公司



上海化工研究院检测中心
(上海天科化工检测有限公司)

Shanghai Research Institute of Chemical Industry Testing Centre
(Shanghai TECH. Chemical Industry Testing Co.,Ltd)



货物运输条件鉴定书

NO. 2118020805

Page 1/3

Certification for Safe Transport of Chemical Goods

样品名称 Sample name	中文 Chinese	锂电池 ZL1010-F 36V10Ah		
	英文 English	/		
委托单位 Consignor	长兴天宏锂电科技有限公司 /			
生产单位 Manufacturer	长兴天宏锂电科技有限公司 /			
检验方法、程序 Inspection method and procedure	国际海事组织《国际海运危险货物规则》(2016版) IMO International Maritime Dangerous Goods Code (2016 Edition)			
样品外观 Sample appearance	蓝色塑料薄膜外壳 Blue Plastic film shell			
包装件信息 Package information	/			
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity / 锂含量Li content	放置方式 Placement
1	可充电锂离子电池组 Rechargeable Li-ion battery	ZL1010-F	10Ah 360Wh	电池单独运输 Battery only
鉴定结论 IDENTIFICATION CONCLUSION	1. 危险性识别 (Hazards identification) 杂项。 Miscellaneous.			
	2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项 (Suggestion according to IMO IMDG Code) Shipping name: Lithium ion batteries Class or division: 9 UN Number: UN3480			
备注 Comment	3. 包装要求 (Packaging requirements) 按UN3480要求办理。 Suggestion according to UN3480.			
	检验日期: Inspection Date: 2018-02-09		签发日期: Issue Date: 2018-02-09	



批准 Approver: 张小明

审核 Checker: 董学胜

主检 Appraiser: 孙清



货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2118020805


Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	本报告所述锂电池按照《国际海运危险货物规则》(2016版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IMDG CODE 2016 EDITION 2.9.4.5.
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.
3	相关要求按照UN3480规定办理。 Suggestion according to UN3480.
4	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.
5	每个包装件必须使用9类锂电池危险性标签(9A号), 但9类杂项危险性标签(9号)可继续使用至2018年12月31日。 Each package must be labelled with the Class 9-Lithium Battery hazard label(Model No.9A), except that the Class 9-Miscellaneous hazard label(Model No.9) may continue to be used until 2018-12-31.
6	/
7	/

-验证码:350039-

货物运输条件鉴定书
Certification for Safe Transport of Chemical Goods

NO. 2118020805
Page 3/3



报告结束

